INDICATIONS: For use as a supplemental nutritive source of electrolytes, dextrose, and amino acids in cattle.

DOSAGE AND ADMINISTRATION: Administer orally as a drench. The usual recommended dose in adult cattle is 500 to 1000 mL, depending on size and condition.

SHAKE WELL BEFORE USING

STORE AT CONTROLLED ROOM TEMPERATURE BETWEEN 15° and 30°C (59°-86°F)



NDC 57319-525-08

Amcalcilyte Forte

Oral Solution

ELECTROLYTES - DEXTROSE - AMINO ACIDS

FOR ANIMAL USE ONLY KEEP OUT OF REACH OF CHILDREN

COMPOSITION: Each 1000 mL of aqueous solution
contains:
Dextrose • H ₂ O 275.0 g
Calcium Hypophosphite
Potassium Chloride 15.0 g
Sodium Chloride
Potassium Phosphate, monobasic
L-Glutamic Acid 560.0 mg
L-Arginine Hydrochloride 450.0 mg
L-Proline 400.0 mg
L-Lysine Hydrochloride 240.0 mg
L-Leucine
L-Phenylalanine 110.0 mg
L-Valine
L-Threonine
L-Isoleucine
L-Histidine Hydrochloride 40.0 mg
L-Methionine
L-Tyrosine
L Tyrosino

Methylparaben (preservative) 0.09% Propylparaben (preservative) 0.01%

Clipper Distributing Company, LLC

Trademarks are property of



A-0426-07

Rev. 06-10

LOT NO.: EXP. DATE:





Manufactured for: Clipper Distributing Company, LLC St. Joseph, MO 64507