COMPOSITION: Each 100 mL of aqueous	solu	tic
contains:		
Dextrose • H ₂ O		5
Sodium Acetate • 3H ₂ O	250	m
Magnesium Sulfate • 7H ₂ O		
Potassium Chloride		
Calcium Chloride • 2H ₂ O	150	m
Niacinamide		
Divide de la decembra (D.)	100	11
Pyridoxine Hydrochloride (B ₆)	. 10	П
Thiamine Hydrochloride (B ₁)	. 10	m
d-Panthenol	5	m
Riboflavin (B ₂)	4	m
Cyanocobalamin (B ₁₂)	. 5 r	no
I —I elicine	187	m
L-Lysine Hydrochloride	170	m
L-Glutamic Acid	136	m
L-Valine		
L-Phenylalanine		
L–Arginine Hydrochloride		
L lockwins	. 05	11
L-Isoleucine		
L-Threonine	78.2	m
L-Histidine Hydrochloride • H ₂ O	59.5	m
L-Methionine		
L-Cysteine Hydrochloride • H ₂ O	. 50	m

with propylene glycol 2.5%, sorbitol 2.5%, lactic acid 0.16%, citric acid 0.1%, BHA 0.005%; methylparaben 0.18%, propylparaben 0.02%, and ethylparaben 0.01% (preservatives).

Lot No.

Exp. Date

NDC 57319-526-04

Amino Acid Oral Concentrate

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

Net Contents:

500 mL



Manufactured For:

St. Joseph, MO 64507

INDICATIONS: For use as a supplemental nutritive source of concentrated amino acids, electrolytes, B complex vitamins, and dextrose in cattle, horses, swine and sheep.

DOSAGE UNDILUTED:

CATTLE: Administer 1 oz. Amino Acid Concentrate per 100 pounds body weight in drinking water to be consumed in one day.

HORSES: Administer 10 oz. Amino Acid Concentrate per 1000 pounds body weight in drinking water to be consumed in one day.

SHEEP & SWINE: Administer 1/2 oz. Amino Acid Concentrate per 50 pounds body weight in drinking water to be consumed in one day.

STORE AT CONTROLLED ROOM TEMPERATURE BETWEEN 15° AND 30° C (59°-86°F).

SHAKE WELL BEFORE USING.

A-0020-06 lss. 02-07 TAKE TIME DIRECTIONS

